



Einhell

EXPERT

POWER X-CHANGE

Cordless Rotary Hammer

TE-HD 18/12 Li - Solo

Item No.: 4513970

Ident No.: 11019

Bar Code: 4006825647778

The Einhell cordless rotary hammer TE-HD 18/12 Li - Solo for drilling and hammer drilling belongs to the Power X-Change family, of which every Power X-Change battery can be combined with any device in the series. The rotary hammer is configured with a powerful motor and a robust metal gearing as well as a pneumatic impact mechanism and speed electronics for adjusting to the specific material and application. The universal SDS-plus chuck with semi-automatic function and the LED light for illuminating the work area provide invaluable assistance in work sessions. The handle with soft grip ensures a reliable grip. Supplied complete with a magnetic bit adapter, without battery and charger.

Features & Benefits

- A member of the Power X-Change family
- 2+1 functions: Drilling/Hammer drilling/Screwing with bit adapter
- Pneumatic impact mechanism for effortless drilling in concrete
- Powerful motor and metal gearing deliver high torque
- Universal SDS-plus chuck with semi-automatic function
- Speed electronics for fine adjustment on delicate jobs
- Ergonomic handle with soft grip
- Incl. LED lamp to illuminate the work area
- Incl. magnetic bit adapter for screwing
- Supplied without battery and charger (available separately)




Technical Data

- Idle speed (gear 1)	0-1300 min ⁻¹
- Impact rate (gear 1)	6000 min ⁻¹
- Impact power	1.3 J
- Max. torque hard	14 Nm
- Drilling capacity in concrete	12 mm



Logistic Data

- Pieces per export carton	10 Pieces
- Gross weight export carton	20 kg
- Tool weight	1.49 kg
- Gross Weight	1.696 kg
- Dimensions single packaging	294 x 81 x 213 mm
- Dimensions export carton	595 x 420 x 235 mm
- Container quantity (20"/40"/40"HC)	4420 9700 10500



Available as special accessories



Power X-Boostcharger 6A
Charger
Item No.: 4512064
Bar Code: 4006825629019
Einhell Accessory



18V 2,0Ah Power X-Change
Battery
Item No.: 4511395
Bar Code: 4006825610369
Einhell Accessory



18V 4,0Ah Power X-Change
Battery
Item No.: 4511396
Bar Code: 4006825610376
Einhell Accessory



18V 3,0Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512041
Bar Code: 4006825613698
Einhell Accessory



18V 4,0Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512042
Bar Code: 4006825613704
Einhell Accessory



18V 5,2Ah Power X-Change Plus
Battery
Item No.: 4511437
Bar Code: 4006825616606
Einhell Accessory



Power X-Twincharger 3A
Charger
Item No.: 4512069
Bar Code: 4006825629729
Einhell Accessory



2x 3,0Ah & Twincharger Kit
PXC-Starter-Kit
Item No.: 4512083
Bar Code: 4006825638509
Einhell Accessory



18V 3,0Ah Power X-Change Plus
Battery
Item No.: 4511501
Bar Code: 4006825644197
Einhell Accessory



18V 4-6Ah Multi-Ah PXC Plus
Battery
Item No.: 4511502
Bar Code: 4006825644210
Einhell Accessory



18V 2,5Ah PXC Starter Kit
PXC-Starter-Kit
Item No.: 4512097
Bar Code: 4006825646962
Einhell Accessory



2x 3,0Ah & 30min PXC Kit
PXC-Starter-Kit
Item No.: 4512098
Bar Code: 4006825646986
Einhell Accessory



18V 2,5Ah Power X-Change
Battery
Item No.: 4511516
Bar Code: 4006825650518
Einhell Accessory



Power X-Fastcharger 4A
Charger
Item No.: 4512103
Bar Code: 4006825650228
Einhell Accessory



2x 18V 4,0Ah PXC-Twinpack
Battery
Item No.: 4511489
Bar Code: 4006825638578
Einhell Accessory












2x 18V 2,5Ah PXC-Twinpack
Battery
Item No.: 4511518
Bar Code: 4006825651676
Einhell Accessory

Battery-Running-Times

holes (6x50 mm in concrete)

Usage	drilling	
Unit of measure	number of	
1.5 Ah PXC	28	
2.0 Ah PXC	37	
2.5 Ah PXC	45	
2.6 Ah PXC+	47	
3.0 Ah PXC	68	
3.0 Ah PXC+	68	
4.0 Ah PXC	80	
5.2 Ah PXC+	117	
4-6 Ah PXC+ (4.0 Ah)	80	
4-6 Ah PXC+ (6.0 Ah)	138	
best performance with min.	all packs	

screws (screw in 6x60 mm)

Usage	screwing	
Unit of measure	number of	
1.5 Ah PXC	113	
2.0 Ah PXC	154	
2.5 Ah PXC	188	
2.6 Ah PXC+	199	
3.0 Ah PXC	225	
3.0 Ah PXC+	225	
4.0 Ah PXC	300	
5.2 Ah PXC+	395	
4-6 Ah PXC+ (4.0 Ah)	300	
4-6 Ah PXC+ (6.0 Ah)	450	